Safety Data Sheet Date of Issue: 01.04.2025

ULTRA SEAL ® XLR

Date of Issue : 01.04.2025 Replaces : 01.04.2020 Valid no longer than : 01.04.2030

1. Chemical product and company identification

Supplier :	Trade Name : ULTRA SEAL ® XLR	
Well Engineering & Technology Sdn Bhd 6.07 Level 6 Menara Hap Seng Jalan P. Ramlee 50250 Kuala Lumpur		
Telephone Number:	Chemical / Technical Nature :	
Tel: +603 2022 0803 Email: welltech@welltechengineering.com	FORMULA - PROPRIETARY PACKAGE SIZE - 5 GALLON PAIL APPLICATION - DELAYING AGENT FOR	
Emergency contact: 019 – 356 6035 (Phil Navage)	POLY PLUG®	

2. Hazardous Ingredients

Material or Component - No SARA Title III Chemicals

3. Physical Data

Boiling Point	105 DEG. C
Specific Gravity	1.323 @ 20° C
Vapor Pressure	N/A
Volatile Volume(%)	N/A
Vapor Density	N/A
Evaporation Rate	N/A
Solubility In H20	Soluble
Odor	None Apparent
Color	Clear
Molecular WT.	EQ 112.07
Components:	
Sodium Lactate	
OSHA PEL	N/A
E-Q-40-0% of Product	
ACGIH TLV	N/A
CASRN	7732-18-5

Ultra Seal-XLR 01 Apr 2025

4. First And Explosion Hazard Data

Ultra Seal - XLR is not flammable or combustible.

Flash Point (Method Used) None(Open Cup)

Auto ignition Temperature N/A

Flammable Limits by Air(% by Volume)

Flammable Limits by Air(% by Volume)

Lower Not Applicable

Upper Not Applicable

Extinguishing Media Water, Carbon Dioxide or Dry Chemical Special Firefighting Procedures Self Contained Breathing Apparatus

Unusual Fire and Explosion Hazards Fire May Produce Irritating or Toxic Fumes

5. Reactivity Data

Stability
Condition to Avoid
Incompatibility (Materials to Avoid)
Hazardous Decomposition or By Products
None
None

Hazardous Polymerization Will not Occur

6. Health Hazard Data

Health Hazards

Acute Oral (LD 50) N/A
Acute Dermal (LD 50) N/A

Aguatic Toxicity (LD 50) In Generic Mud #7 1,000,000

PPM

Carcinogenicity Not on NTP, IARC or OSHA

List, No Limit Established

Sign and Symptoms of Exposure N/A Medical Conditions Generally Aggravated by Exposure N/A

Emergency and First Aid Procedures

Skin

In case of contact with skin, immediately wash with soap and water while removing contaminated clothing.

Eye

In case of contact with eyes, immediately flush eyes with water for at least 15 minutes, lifting eyelids during flushing to facilitate irrigation. Get medical attention if necessary.

Inhalation

If inhaled, remove person from contaminated atmosphere to fresh air.

<u>Ingestion</u>

If swallowed, get medical attention

Ultra Seal-XLR 01 Apr 2025

7. Precautions For Safe Handling and Use

Steps To Be Taken In Case Material Is Released or Spilled:

Contain spill and place material in drum for disposal. Dispose of according to all local, state and federal regulations at an approved waste treatment facility.

Precautions To Be Taken In Handling and Storing: Store in cool, dry area to preserve product quality.

Other Precautions:

N/A

8. Control Measures

Respiratory Protection None

Ventilation General Ventilation is Suggested

Protective Gloves Are Recommended Eye Protection Are Recommended

Other Protective Equipment Suggest rubber apron, eye wash

Work / Hygienic Practices Normal precautions for handling chemicals should be

observed

9. Department of Transportation

DOT Hazardous Classification None – No SARA Title III Chemicals

Proper Shipping Name Ultra Seal-XLR Hazard Class Non-Hazardous

N.O.S. Description(for Export Only) N/A Exceptions and Packaging Requirements None

Maximum Quantity in One Package Passenger Aircraft – N/A

Cargo Aircraft

10. Preamble

All the recommendations and suggestions herein concerning our product are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity and suitability for this own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Well Engineering & Technology Sdn Bhd. As to the effects of such use, the results to be obtained, or the safety and toxicity of the product nor does Well Engineering & Technology Sdn Bhd. Assume any liability arising out of use by others. Nor is the information herein to be considered as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

Ultra Seal-XLR 01 Apr 2025